



# UNITED STATES PATENT AND TRADEMARK OFFICE

*Handwritten mark*

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/916,935	07/27/2001	Vittorio Castelli	YOR9-2001-0461 (8728-524)	8782
46069 7590 04/30/2007 F. CHAU & ASSOCIATES, LLC 130 WOODBURY ROAD WOODBURY, NY 11797			EXAMINER HIRL, JOSEPH P	
			ART UNIT 2129	PAPER NUMBER

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
2 MONTHS	04/30/2007	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.



UNITED STATES PATENT AND TRADEMARK OFFICE

---

Commissioner for Patents  
United States Patent and Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

**BEFORE THE BOARD OF PATENT APPEALS  
AND INTERFERENCES**

Application Number: 09/916,935  
Filing Date: July 27, 2001  
Appellant(s): CASTELLI ET AL.

**MAILED**

APR 30 2007

**Technology Center 2100**

---

David W. Malloy

Attorney For Appellant

**EXAMINER'S ANSWER**

This is in response to the appeal brief filed October 24, 2006 appealing from the Office action mailed February 1, 2006.

Art Unit: 2129

**(1) Real Party in Interest**

A statement identifying by name the real party in interest is contained in the brief.

**(2) Related Appeals and Interferences**

The examiner is not aware of any related appeals, interferences, or judicial proceedings which will directly affect or be directly affected by or have a bearing on the Board's decision in the pending appeal.

**(3) Status of Claims**

The statement of the status of claims contained in the brief is correct.

**(4) Status of Amendments After Final**

No amendment after final has been filed.

**(5) Summary of Claimed Subject Matter**

The summary of claimed subject matter contained in the brief is correct.

**(6) Grounds of Rejection to be Reviewed on Appeal**

**(a) Grounds of Rejection Withdrawn**

The following grounds of rejection are not presented for review on appeal because they have been withdrawn by the examiner.

Appellant's section 6.II. regarding the rejection of Claim 7 under U.S.C. § 112, second paragraph, the subject of software "rejuvenating" is described in commonly assigned U.S. Patent No. 6,993,458 (see Phillips v. AHW Corp., 415 F. 3d 1303, 75 USPQ 2d 1321 (Fed. Cir. 2005)).

**(b) Grounds of Rejection to be Reviewed**

The remainder of appellant's statement of the grounds of rejection to be reviewed on appeal are correct.

**(7) Claims Appendix**

The copy of the appealed claims contained in the Appendix to the brief is correct.

### **(9) Grounds of Rejection**

The following ground(s) of rejection are applicable to the appealed claims:

#### ***New Matter***

Claim 42 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contain subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the invention was filed, had possession of the claimed invention. In concept, the specification and drawings are silent on segmenting of variable length historic data, comparison of segmented historic data, comparison of unequal length of historic data and comparison of non-homogeneous type data.

#### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the

Art Unit: 2129

applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-41 are rejected under 35 U.S.C. 102(e) as being anticipated by Sweet et al (U.S. Patent 6,836,800 referred to as **Sweet**).

**Claim 1**

Sweet anticipates monitoring, over a period of time, a contemporaneous resource utilization and a number of active devices to obtain monitored values of the contemporaneous resource utilization and the number of active devices (**Sweet**, c 1, l 12-45; c 2, l 5-20; Figs. 8-15); and predicting the subsequent resource utilization, based upon the monitored values of the contemporaneous resource utilization and the number of active devices (**Sweet**, c 3, l 25-41; Examiner's Note (EN): the number of active devices is integrated into the system operation as shown in Fig. 1).

**Claims 2, 15, 16**

Sweet anticipates computing a regression model of prediction parameters on the member of active devices (**Sweet**, c 6, l 58-65; EN: as determined by the sample or example); constructing an empirical distribution of the number of active devices (**Sweet**, Fig. 8); and combining the regression model and the empirical distribution to produce a prediction model (**Sweet**, c 6, l 58-65; EN:  $\mu$  - mean or average - and  $\sigma$  - standard deviation or measure of dispersion - define the model).

**Claims 3, 17**

Sweet anticipates step of combining the regression model and the empirical distribution comprises the step of computing, with respect to the empirical distribution,

Art Unit: 2129

an expected value of each of one or more of the prediction parameters (**Sweet**, c 6, l 58-65; EN:  $\mu$  - mean or average - and  $\sigma$  - standard deviation or measure of dispersion - define the model).

**Claims 4, 18**

Sweet anticipates for each of the one or more prediction parameters, for each of the monitored values of the number of active devices, computing confidence intervals for the one or more prediction parameters (**Sweet**, c 7, l 26-32); and selecting a corresponding one of the confidence intervals for the expected value of each of the one or more prediction parameters (**Sweet**, c 7, l 26-32; EN: such would be for the value of  $\mu$ ).

**Claims 5, 19**

Sweet anticipates computing confidence intervals for the prediction parameters, for each of the monitored values of the number of active devices (**Sweet**, c 7, l 26-32; c 8, 30-37 EN: such as a Cisco router); and combining the confidence intervals with the empirical distribution, to produce modified confidence intervals for the prediction parameters devices (**Sweet**, c 8, l 30-37).

**Claim 6**

Sweet anticipates the step of managing a resource capacity of the computer system, based upon the predicted subsequent resource utilization (**Sweet**, c 3, l 32-40).

**Claim 7**

Sweet anticipates the step of rejuvenating the computer software, based upon the predicted subsequent resource utilization (**Sweet**, c 3, l 32-40; EN: planned upgrades include software rejuvenation).

**Claim 8**

Sweet anticipates dynamically allocating at least one resource of the computer system, based upon the predicted subsequent resource utilization (**Sweet**, c 2, l 5-20; EN: adaptive changes achieve dynamic allocating).

**Claim 9**

Sweet anticipates identifying any of the plurality of devices that are relevant to a monitored resource (**Sweet**, c 2, l 5-34); and restricting at least one subsequent operation of the computer system that corresponds to the monitored resource to use only devices identified as relevant to the monitored resource from among the plurality of devices (**Sweet**, c 2, l 5-34; EN: adaptive changes selects relevant devices).

**Claims 10, 25**

Sweet anticipates for a given device currently being evaluated for relevance to the monitored resource, computing a first regression model for the monitored resource on the member of active devices, based upon data acquired when the given device is active (**Sweet**, c 6, l 25-53; EN: such is a data sample); computing a second regression model for the monitored resource on the number of active devices, based upon data acquired when the given device is inactive (**Sweet**, c 6, l 25-53; EN: such is a second data sample); and comparing the first and the second regression models to determine



Art Unit: 2129

whether the given device is relevant to the monitored resource (**Sweet**, c 6, l 25-53; EN: such would be the relationship between two sets of samples and the determination of covariance or correlation).

**Claims 11, 26**

Sweet anticipates the step of determining whether the first and the second regression models are statistically equivalent for a same number of active devices other than the given device (**Sweet**, c 6, l 46-53).

**Claims 12, 27, 35**

Sweet anticipates dividing the plurality of devices into device classes (**Sweet**, c 10, l 9-19); and counting the number of active devices in each of the device classes (**Sweet**, c 10, l 9-19; EN: map application contains the number of active devices).

**Claims 13, 28**

Sweet anticipates fitting a prediction model for a monitored resource, wherein prediction model of the prediction model depend on the number of active devices in each of the device classes (**Sweet**, c 10, l 9-19; EN: map application depends on network devices) ).

**Claims 14, 29**

Sweet anticipates the step of computing a prediction model for the number of active devices in each of the device classes (**Sweet**, c 10, l 9-19; EN: such as the key network devices).

**Claims 20, 30, 37**

Sweet anticipates a program storage device readable by machine, tangibly embodying a program of instructions executable by the machine to perform said method steps (**Sweet**, c 3, l 25-40).

**Claim 21**

Sweet anticipates monitoring, over a period of time, resource utilization and a number of active devices to obtain monitored values of the resource utilization and the number of active devices (**Sweet**, c 2, l 5-20; Fig. 8-15); and identifying resource saturation, based upon the monitored values of the resource utilization and the number of active devices (**Sweet**, c 4, l 42-58; EN: signature detection establishes monitored values for the active devices).

**Claim 22**

Sweet anticipates identifying step comprises the steps of fitting a regression model of a monitored resource on the number of active devices (**Sweet**, c 6, l 58-65); detecting, in the regression model departures of the monitored resource from linearity (**Sweet**, c 6, l 58-65; EN: such would be the application of a Gaussian density function).

**Claim 23**

Sweet anticipates fitting a regression model of prediction parameters of the monitored resource on the number of active devices (**Sweet**, c 6, l 58-65); and detecting departures from linearity of the prediction parameters of the monitored resource (**Sweet**, c 6, l 58-65; EN: such would be the application of a Gaussian density function).

**Claims 24, 36**

Sweet anticipates identifying any of the plurality of devices that are relevant to a monitored resource (**Sweet**, c 2, l 5-20); and restricting at least one subsequent operation of the computer system that corresponds to the monitored resource to use only devices identified as relevant to the monitored resource from among the plurality of devices (**Sweet**, c 2, l 5-20; EN: such as are necessary to achieve automatic adaptation).

**Claims 31, 38, 39, 40**

Sweet anticipates monitoring, over a period of time, a resource utilization and a number of active devices to obtain monitored values of the resource utilization and the number of active devices (**Sweet**, c 2, l 5-20; Fig. 8-15); and predicting the effects of adding the new device, based upon the monitored values of the resource utilization and the number of active devices (**Sweet**, c 2, l 5-20; EN: such is automatic adaptation).

**Claim 32**

Sweet anticipates selecting a monitored resource (**Sweet**, c 2, l 5-20); and predicting the effects of adding the new device with respect to the selected monitored resource, based upon the monitored values of the resource utilization and the number of active devices (**Sweet**, c 2, l 5-20; EN: such is the function of automatic adaptation).

**Claim 33**

Sweet anticipates constructing a first prediction model of a distribution of the number of active devices (**Sweet**, c 2, l 5-20; EN: such as performance thresholds for

the network); and modifying the first prediction model to produce a modified prediction model of the distribution of the number of active devices that accounts for the new device (**Sweet**, c 2, l 5-20; EN: such is the function of automatic adaptation).

**Claim 34**

Sweet anticipates computing a first prediction model for the selected monitored resource, based upon the first prediction model of the distribution of the number of active devices (**Sweet**, c 2, l 5-34; EN: such are application priorities); producing a first prediction of the selected monitored resource using the first prediction model for the selected monitored resource (**Sweet**, c 2, l 5-34; EN: such are application priorities); computing a modified prediction model for the selected monitored resource to account for the new device, based upon the modified prediction model of the distribution of the number of active devices (**Sweet**, c 2, l 5-34; EN: such as automatic adaptation); producing a second prediction of the selected monitored resource, based upon the modified prediction model for the selected monitored resource (**Sweet**, c 2, l 5-34; EN: trade-offs); and comparing the first prediction and the second prediction of the selected monitored resource to evaluate the effects of adding the new device (**Sweet**, c 2, l 5-34; EN: trade-offs).

**Claim 41**

Sweet anticipates monitoring, over a period of time, a contemporaneous resource utilization and a number of active devices to obtain monitored values of the contemporaneous resource utilization and the number of active devices (**Sweet**, c 1, l 12-45; c 2, l 5-20; Figs. 8-15); and predicting the subsequent resource utilization, based

upon the monitored values of the contemporaneous resource utilization and the number of active devices (**Sweet**, c 3, l 25-41; EN: para 11 applies; the number of active devices is integrated into the system operation as shown in Fig. 1); wherein said prediction step further comprises the steps of computing a regression model of prediction parameters on the member of active devices (**Sweet**, c 6, l 58-65; EN: as determined by the sample or example); constructing an empirical distribution of the number of active devices (**Sweet**, Fig. 8); and combining the regression model and the empirical distribution to produce a prediction model (**Sweet**, c 6, l 58-65; EN:  $\mu$  and  $\sigma$  define the model).

#### **(10) Response to Argument**

Examiner's Opinion: The rejection of claim 42 regarding new matter is principally focused on a new structure that is not coherently evident in the text of the specification or in a specific flow diagram. One can always pick and reselect items to force fit a claim into the specification but that will frustrate one of ordinary skill in the art to replicate the invention without undue experimentation.

##### **(a) In reference to Applicant's argument:**

##### **I. Claim 42 Complies With the Written Description Requirement of 35 U.S.C. § 112, First Paragraph, and Does Not Contain New Subject Matter**

The following is a quotation of the first paragraph of 35 U. S. C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Art Unit: 2129

A. The Subject Matter of Claim 42 Is Contained Within The Specification

All of the subject matter of claim 42 was present in the specification as originally filed. Claim 42 recites, "A method for predicting a subsequent resource utilization (FIGS. 2-8, page 13, line 6 to page 22, line 4, FIG. 13, page 26, lines 7-22) in a computer system (FIG. 1, 101, page 10, lines 10-12) having a plurality of devices (page 1, lines 10-13), the plurality of devices comprising active devices and non-active devices (FIG. 14, page 27, line 16 to page 28, line 15), comprising the steps of: monitoring, over a period of time, a contemporaneous resource utilization to obtain first monitored values of the contemporaneous resource utilization (page 10, line 17 to page 12, line 7, page 13, lines 6-16); monitoring, over the period of time, a number of the active devices (page 10, lines 17-22) to obtain second monitored values of the number of the active devices (page 13, lines 6-16); wherein the monitored number is capable of varying over the period of time (page. 25, lines 13-20); monitoring, over the period of time, a type of each of the active devices to obtain third monitored values of the type of the each of the active devices (page 10, line 17 to page 12, line 7, page 13, lines 6-16); and predicting the subsequent resource utilization, based upon the first monitored values, the second monitored values, and the third monitored values (FIGs. 2-8, page 13, line 6 to page 22, line 4, FIG. 13, page 26, lines 7-22, FIG. 15, 1501, page 29, lines 7-13)."

B. The Deemed "New Subject Matter" Is Not Contained Within Claim 42

The basis for the Examiner's rejection is that the specification and drawings do not contain "segmenting of variable length historic data, comparison of segmented historic data, comparison of unequal length of historic data and comparison of non-homogeneous type data." As can be clearly seen from the text of claim 42 above, the subject matter the Examiner deems "new matter," such as "segmented historic data," is not recited in claim 42.

Thus, Applicant respectfully submits there is no new matter in claim 42 and believes there is no applicable rejection under 35 U.S.C. § 112, first paragraph, to claim 42. Accordingly, since there have been no other grounds of rejection regarding claim 42, Applicant respectfully requests that the rejection be withdrawn and that claim 42 be allowed.

Examiner's Response:

Claim 42 explicitly limits the result to "predicting the subsequent utilization, based upon the first monitored values, the second monitored values and the third monitored values. Page 14 of the specification at lines 8-10 cites: "Time series j produced by step 201 for a specific monitored resources contains the values of the monitored resource acquired at acquisition times where exactly j devices are active in the network. The time series values are the j series and since there is no segmentation of the j series data, the concept of predicting the subsequent resource utilization based on a plurality of distinctly different values (first monitored values, second monitored values and third

Art Unit: 2129

monitored values), is left as an exercise for one of ordinary skill in the art to determine. While the applicant has cited a structure on page 10 of the Appeal Brief at lines 6-22, such structure or road map that links the various sections of the specifications, suggested by the applicant, simply doesn't exist in the specification. If such structure actually existed in the specification, the applicant would have referenced page and line where such first monitored values, second monitored values and third monitored values explicitly existed. Further, applicant claims "predicting the subsequent resource utilization" which requires that somehow the various monitored values will be integrated. Fig. 15 of the specification described on page 29, lines 3-21 cites simultaneous sampling of resources of different classes, but specifically cites simultaneous resource use (specification, page 29, line 7-8) which is incongruent to a limitation requiring variation over a period of time.

Claim 42 as written cites simultaneous monitoring over a specific period of time such that three values of resources are obtained. The examiner believes that Fig. 15, specification page 29, lines 3-21 is about as close as the specification ventures in providing enablement to Claim 42. Review of the subject specification reveals that a vector  $J$  is established at each point in time which contains values for each device of a specific type. The time series is further described as divided into  $N$  sub series where each sub series is characterized by a different value of the vector  $J$ . Such a process or model is at variance with the claim limitations cite different values over the same period of time. Simply the specification teaches one vector  $J$  over one time period where claim

Art Unit: 2129

42 limits to three distinct values over one period of time. Simply, one of ordinary skill in the art would have to evolve a new invention to meet the limitations of claim 42.

The examiner's view of claim 42 relates to limitations requiring "segmenting of variable length historic data, comparison of segmented historic data, comparison of unequal length of historic data and comparison of non-homogeneous type data." To one of ordinary skill in the art, the invention relates to time series data (data in a file). The limitation of "over a period of time" relates to segmenting the data in a variable manner consistent with the period of time. The data is of a past type and hence is historic. The three monitoring limitation establish data comparison. Unequal length of historic data relates to the "monitored number is capable of varying over the period of time." Non-homogeneous type data is simply monitoring different active devices.

(b) In reference to Applicant's argument:

Examiner's Opinion: The arguments that follow by the applicant generally state limitations of "identifying resource saturation, based upon monitored values of the resource utilization and the number of active devices" which applicant asserts that Sweet does not teach. Conversely, the prior art of Sweet entitled "Managing Computer Resources" anticipates the following:

- regarding monitoring values of the resource utilization. This is nothing more that collecting data on the operation of the system that includes various devices. Sweet at Fig. 1 identifies a network that includes various active



- devices and Sweet at Fig. 2 asserts that data is gathered about such computer network. Such collected data represents resource utilization.
- regarding identifying resource saturation. Sweet at c 2 l5-34 automatically adapts performance thresholds that lead to capacity upgrades. Capacity is of course synonymous with saturation and hence Sweet anticipates identifying resource saturation. Capacity upgrades would mean adding new devices to the system.

Further, Sweet at c 4 l 42-52 anticipates prediction or forecasting system performance (use of new devices and capacity limits or saturation) from signature detection software that process gathered data and establishes trending predictions from planning software.

### III. The Teachings of Sweet, et al. Do Not Support the Anticipation Rejections

For a claim to be anticipated under 35 U.S.C. § 102, all elements of the claim must be found in a single prior art reference (see, e.g., *Scripps Clinic & Research Found. V. Genentech, Inc.*, 927 F.2d 1565, 1576, 18 U.S.P.Q.2d 1001, 1010 (Fed. Cir. 1991)). The identical invention must be shown in as complete detail as is contained in the claim. (See MPEP, §§ 2131). The single prior art reference must disclose all of the elements of the claimed invention functioning essentially in the same manner (see, e.g., *Shanklin Corp. v. Springfield Photo Mount Corp.*, 521 F.2d 609 (1<sup>st</sup> Cir. 1975)).

Here, Applicant respectfully asserts that Sweet is legally deficient to establish a prima facie case of anticipation against any of claims 1-40. At the very least, Sweet does not anticipate independent claims 1, 21, 31, 38, 39 and 40, for the following reasons.

#### A. The Subject Matter Claimed In Each of Claims 1.-40, Taken As a Whole, Is Not Anticipated By Sweet, et al.

Claims 1-40 were rejected under 35 U.S.C. § 102(e), as being anticipated by Sweet, et al., U.S. Patent No. 6,836,800 (hereinafter, Sweet). Sweet is concerned with resource, management related to network traffic loads and anticipating network slow-downs, such as from software application response time. Nowhere is Sweet concerned with the addition of new devices or resources, such as Applicant's "subsequent resource utilization," or their prediction and effects.

Independent claims 1, 38, and 42 have limitations including "subsequent resource utilization" and Independent claims 31 and 40 have limitations including "adding a new device," which are directly related to new devices or resources on a computer system. Since Sweet does not disclose anything related to

Art Unit: 2129

the addition of new devices or to subsequent resource utilization. Therefore, Sweet does not anticipate these claim limitations of independent claims 1, 31, 38, 40 and 42.

Further, Sweet discloses monitoring a number of network devices, computing statistics and displaying statistical information for selected key network devices. However, Sweet does not disclose "identifying resource saturation, based upon the monitored values of the resource utilization and the number of active devices," as recited in Applicant's independent claims 21 and 39. Therefore, Sweet does not anticipate independent claims 21 and 39.

In order for a reference to anticipate a claim, each and every element set forth in the claim must be found, either expressly or inherently, in the reference. *Verdegaal Bros. V. Union Oil Co. of California*, 814 F.2d 628,631, 2 USPQ2d 1051,1053 (Fed. Cir. 1987). The reference cited by the Examiner does not disclose, either expressly or inherently, each and every element of Applicant's Claims 1, 21, 31, 38, 39, 40, or 42. Therefore, the rejections under 35 U.S.C. § 102(e) should be reversed.

1. Sweet, et al. Does Not Anticipate Claim 1

The Examiner states that Sweet anticipates, inter alia, "predicting the subsequent resource utilization, based upon the monitored values of the contemporaneous resource utilization and the number of active devices (Sweet, c 3, 125-41; Examiner's Note (EN): para 11 applies; the number of active devices is integrated into the system operation as shown in Fig. 1)."

Sweet discloses that "data is gathered about the network (step 1010), the gathered data is analyzed to determine whether a signature exists (step 1020), and if a signature exists, the signature is used for purposes such as generating alarms for unusual activity (or inactivity), reporting on the status of the network, and planning changes such as upgrades to the network (step 1030)." Sweet further discloses that "The signature detection software ... derives signature data 40 and other data 42 from the gathered data. The other data may include data needed for ... trending predictions." Sweet suggests that "trending" relates to "the capacity or configuration of the network."

However, Sweet does not disclose "predicting the subsequent resource utilization, based upon the monitored values of the contemporaneous resource utilization and the number of active devices." Applicant respectfully submits that analyzing, data, generating alarms, reporting status and planning changes do not constitute or suggest "predicting the subsequent resource utilization." Furthermore, Applicant respectfully submits that trending predictions as disclosed by Sweet are predictions of network performance about the capacity or configuration of the network, and not "predicting the subsequent resource utilization, based upon the monitored values of the contemporaneous resource utilization and the number of active devices." Sweet indicates that the "other data" that may include data needed for trending predictions is derived from signature detection software and not from "contemporaneous resource utilization and the number of active devices." Accordingly, Claim 1 is neither anticipated nor rendered obvious in light of Sweet and is allowable over the prior art of record.

Examiner's Response:

The title of the prior art of Sweet, USPN 6,836,800 is "Managing Computer Resources." Sweet teaches : Computer resources are managed by a method that includes deriving, from historical measured information for a computer resource, values for statistical variables, and based on the values, determining whether a behavioral

pattern for the computer resource is represented in the historical measurement information (**Sweet**, Abstract). Concerning signature, Sweet teaches: "A signature is a statistically detectable pattern in measurement data" (**Sweet**, c2:55-56). Sweet also teaches: "The signature detection software includes statistical analysis software 38 that derives signature data 40 and other data 42 from the gathered data. The other data may include data needed for subsequent calculations, or data for statistical correlation or for trending predictions" (**Sweet**, c4:42-46). Further Sweet teaches: "Fig. 1 illustrates a system 10 for automatic signature detection and use on a network 12, such as the Internet or an intranet using Internet protocols, having network portions 14a-14c including computers 16a-16c, 18a-18c, and 20a-20c, respectively. In the network, router computers 21a-21c connect the network portions by interfaces 22a-22i to allow data traffic to flow among the network portions.

At least of one of the computers, such as computer 16b, runs data gathering software 24, signature detection software 26 and signature use software 28, so that (Fig. 2) data is gathered about the network (step 1010), the gathered data is analyzed to determine whether a signature exists (step 1020), and if a signature exists, the signature is used for purposes such as generating alarms for unusual activity (or inactivity), reporting on the status of the network, and planning changes such as upgrades to the network (step 1030) (**Sweet**, c3:24-40). Planning is the effort that introduces addition of new devices. Reporting the status of the network includes identifying resource saturation especially with the introduction of alarms based on unusual activity where resource saturation would be such an example. Simply stated,

trending predictions (Sweet, C4:46) are based on historic/current data and indicate what will be taking place in the future ... such is the applicant's "predicting the subsequent resource utilization, based upon the monitored values of the contemporaneous resource utilization and the number of the active devices."

(c) In reference to Applicant's argument:

2.. Sweet, et al. Does Not Anticipate Claim 21

The Examiner states that Sweet anticipates, inter alia, "identifying resource saturation, based upon the monitored values of the resource utilization and the number of active devices (Sweet, c 4, 1 42-58; EN: signature detection establishes monitored values for the active devices)." Furthermore, in the Examiner's response to Applicant's November 4, 2005 arguments regarding claim 21, the Examiner states that "'identifying resource saturation" is equivalent to an "alarm threshold" which Sweet teaches @ c 2:66.'

Sweet discloses "The signature detection software includes statistical analysis software 38 that derives signature data 40 and other data 42 from the gathered data. The other data may include data needed for subsequent calculations, or data for statistical correlation or for trending predictions." In the cited passage of the Examiner's response, Sweet discloses "...the signature may be used to establish an alarm threshold (i.e., an alert threshold) to allow a network manager to be alerted automatically to unusually high data traffic, due perhaps to a network malfunction or unauthorized use of the network..."

However, Sweet does not disclose "identifying resource saturation, based upon the monitored values of the resource utilization and the number of active devices." Nor does Sweet disclose that the alarm threshold is related to "resource utilization and the number of active devices." "High data traffic," "network malfunction" or "unauthorized use" do not equate with "resource utilization and the number of active devices." Accordingly, claim 21 is neither anticipated nor rendered obvious in light of Sweet and is allowable over the prior art of record.

Examiner's Response:

As discussed above, Sweet teaches: "A signature is a statistically detectable pattern in measurement data" (Sweet, c2:55-56). Reaching a threshold means "identifying resource saturation" to which Sweet associates an alarm ... alarm threshold. Sweet's signature represents a pattern in measured data ... active devices in the network.

Art Unit: 2129

(d) In reference to Applicant's argument:

3. Sweet, et al. Does Not Anticipate Claim 31

The Examiner states that Sweet anticipates, inter alia, "predicting the effects of adding the new device, based upon the monitored values of the resource utilization and the number of active devices (Sweet, c 2, 1 5-20; EN: such is automatic adaptation)."

Sweet discloses "... resource usage can be tracked ... enabling highly meaningful analysis and presentation of information. In the case of a network, performance thresholds can be automatically adapted and kept current, ... Rich details of network traffic patterns can be . exposed and alert and alarm thresholds can be automatically tuned, allowing effective bandwidth management, capacity planning, and development of realistic service level expectations based on objective information."

However, Sweet does not disclose "predicting the effects of adding the new device with respect to the selected monitored resource, based upon the monitored values of the resource . utilization and the number of active devices." The Examiner equates Sweet's "performance thresholds can be automatically adapted" with Applicant's "predicting the effects of adding the new device." Applicant respectfully disagrees with the Examiner's apparent belief that "automatically adapting" is synonymous with "predicting the effects of adding the new device." In Sweet, automatically adapting refers to performance thresholds and not to "new devices." Accordingly, claim 31 is neither anticipated nor rendered obvious in light of Sweet and is allowable over the prior art of record.

Examiner's Response:

As referenced above: "At least of one of the computers, such as computer 16b, runs data gathering software 24, signature detection software 26 and signature use software 28, so that (Fig. 2) data is gathered about the network (step 1010), the gathered data is analyzed to determine whether a signature exists (step 1020), and if a signature exists, the signature is used for purposes such as generating alarms for unusual activity (or inactivity), reporting on the status of the network, and planning changes such as upgrades to the network (step 1030) (**Sweet**, c3:24-40)." When one plans an upgrade, one is "predicting the effects of adding the new device" which is based on monitored devices or resources to include numbers of active devices. Further, Sweet teaches "allowing network administrators to make ... capacity upgrades" (**Sweet**, c2:30) for new equipment. The automatic adaptation identifies saturation thresholds that lead to capacity upgrades.

Art Unit: 2129

(e) In reference to Applicant's argument:

4. Sweet, et al. Does Not Anticipate Claim 38

The Examiner states that Sweet anticipates, inter alia, "predicting the effects of adding the new device, based upon the monitored values of the resource utilization and the number of active devices (Sweet, c 2,15-20; EN: such is automatic adaptation)."

Sweet discloses "... resource usage can be tracked . . . enabling highly meaningful analysis and presentation of information. In the case of a network, performance thresholds can be automatically adapted and kept current, . . . Rich details of network traffic patterns can be exposed and alert and alarm thresholds can be automatically tuned, allowing effective bandwidth management, capacity planning, and development of realistic service level expectations based on objective information."

However, Sweet does not disclose "predicting the subsequent resource utilization, based upon the monitored values of the contemporaneous resource utilization and the number of active devices." The Examiner equates Sweet's "performance thresholds can be automatically adapted" with Applicant's "predicting the subsequent resource utilization." Applicant respectfully disagrees with the Examiner's apparent belief that "automatically adapting" is synonymous with "predicting the subsequent resource utilization." In Sweet, automatically adapting refers to performance thresholds and not to "subsequent resource utilization."

Additionally, the Examiner rejects claim 38 stating that Sweet discloses, inter alia, "predicting the effects of adding the new device," which does not apply to claim 38 since the limitation "predicting the effects of adding the new device" is not contained in claim 38. Accordingly, claim 38 is neither anticipated nor rendered obvious in light of Sweet and is allowable over the prior art of record.

#### Examiner's Response:

Sweet addresses "trending predictions" (Sweet, c4:46), "capacity upgrades" (Sweet, c2:30) and "planning changes such as upgrades to the network (Sweet, c3:39). Sweet further addresses automatic adaptation that identifies saturation thresholds that led to capacity upgrades. For the record, the Examiner on page 9, lines 1-3 of the Final Office Action dated February 1, 2006 stated: "and predicting the effects of adding the new device, based upon the monitored values of the resource utilization and the number of active devices (Sweet, C2, l 5-20; EN: such is automatic adaptation)" which is appropriate.

Art Unit: 2129

(f) In reference to Applicant's argument:

5. Sweet, et al. Does Not Anticipate Claim 39

The Examiner states that Sweet anticipates, inter alia, "predicting the effects of adding the new device, based upon the monitored values of the resource utilization and the number of active devices (Sweet, c 2, 1 5-20; EN: such is automatic adaptation)."

Sweet discloses "... resource usage can be tracked ... enabling highly meaningful analysis and presentation of information. In the case of a network, performance thresholds can be automatically adapted and kept current, ... Rich details of network traffic patterns can be exposed and alert and alarm thresholds can be automatically tuned, allowing effective bandwidth management, capacity planning, and development of realistic service level expectations based on objective information."

However, Sweet does not disclose "a forecasting device for identifying resource saturation, based upon the monitored values of the resource utilization and the number of active devices." The Examiner equates Sweet's "performance thresholds can be automatically adapted" with Applicant's "forecasting device for identifying resource saturation." Applicant respectfully disagrees with the Examiner's apparent belief that "automatically adapting" is synonymous with "forecasting device for identifying resource saturation." In Sweet, automatically adapting refers to performance thresholds and not to "forecasting device for identifying resource saturation."

Additionally, the Examiner rejects claim 39 stating that Sweet discloses, inter alia, "predicting the effects of adding the new device," which does not apply to claim 39 since the limitation "predicting the effects of adding the new device" is not contained in claim 39. Accordingly, claim 39 is neither anticipated nor rendered obvious in light of Sweet and is allowable over the prior art of record.

#### Examiner's Response:

Sweet addresses "trending predictions" (Sweet, c4:46), "capacity upgrades" (Sweet, c2:30) and "planning changes such as upgrades to the network (Sweet, c3:39). Sweet further addresses automatic adaptation that identifies saturation thresholds that led to capacity upgrades. For the record, the Examiner on page 9, lines 1-3 of the Final Office Action dated February 1, 2006 stated: "and predicting the effects of adding the new device, based upon the monitored values of the resource utilization and the number of active devices (Sweet, C2, 1 5-20; EN: such is automatic adaptation)" which is appropriate to forecasting resource needs including saturation which is a range limit.

Art Unit: 2129

(g) In reference to Applicant's argument:

6. Sweet, et al. Does Not Anticipate Claim 40

The Examiner states that Sweet anticipates, inter alia, "predicting the effects of adding the new device, based upon the monitored values of the resource utilization and the number of active devices (Sweet, c 2, 1 5-20; EN: such is automatic adaptation)."

Sweet discloses "... resource usage can be tracked ... enabling highly meaningful analysis and presentation of information. In the case of a network, performance thresholds can be automatically adapted and kept current, ... Rich details of network traffic patterns can be exposed and alert and alarm thresholds can be automatically tuned, allowing effective bandwidth management, capacity planning, and development of realistic service level expectations based on objective information."

However, Sweet does not disclose "a forecasting device for predicting the effects of adding the new device, based upon the monitored values of the resource utilization and the number of active devices." The Examiner equates Sweet's "performance thresholds can be automatically adapted" with Applicant's "predicting the effects of adding the new device." Applicant respectfully disagrees with the Examiner's apparent belief that "automatically adapting" is synonymous with "predicting the effects of adding the new device." Automatically adapting refers to performance thresholds and not to "new devices." Accordingly, claim 40 is neither anticipated nor rendered obvious in light of Sweet and is allowable over the prior art of record.

Examiner's Response:

Sweet addresses "trending predictions" (Sweet, c4:46), "capacity upgrades" (Sweet, c2:30) and "planning changes such as upgrades to the network (Sweet, c3:39). Sweet further addresses automatic adaptation that identifies saturation thresholds that led to capacity upgrades. Predicting the effects of adding a new device is part of a capacity upgrade since the new devices will provide greater capacity.

(h) In reference to Applicant's argument:

7. Sweet, et al. Does Not Anticipate Claims 2-20, 22-30 and 32-37

Since claims 2-20, 22-30 and 32-37 depend from independent claims 1, 21 and 31, respectively, they are allowable for at least the reasons given above for the independent claims.

Examiner's Response:




Art Unit: 2129

The related independent and dependent claims have been rejected based on the prior art of Sweet.

For reasons set forth above,


Respectively Submitted



Joseph P. Hirl  
Primary Examiner  
AU 2129

**DAVID VINCENT**  
**SUPERVISORY PATENT EXAMINER**

*David Vincent 4/24/07*  
David Vincent, SPE, Conferee



Anthony Knight, SPE, Conferee